

## BID NOTICE

Hinckley Town is currently seeking sealed bids from qualified, licensed, and insured herbicide applicators for the 2026 season. The project consists of the application of pre-emergent and post-emergent herbicides within the Town rights-of-way (approximately 9 miles of road). All chemicals used must be approved for right-of-way use and must be documented as safe for use around established trees. Application must be performed using a controlled boom sprayer (8') to ensure precise placement and minimize off-target drift. Bidders must provide proof of valid licensing and liability insurance with their submission. Bids must be received no later than March 18, 2026, at 1:00 PM. Hinckley Town, PO Box 138, 161 E 300 N, Hinckley, UT 84635. Hinckley Town reserves the right to reject any or all bids. Please contact the town office for a bid form and town map at [clerk@hinckleytown.utah.gov](mailto:clerk@hinckleytown.utah.gov) or 435-864-3522.

# 2026 Herbicide Application Services

Hinckley Town, Utah

Instructions: Bidders must complete all sections. Incomplete forms may be disqualified. Attach proof of insurance and Commercial Applicator License.

1. Bidder Information

- Company Name

---

- Contact Person:

---

- Phone Number:

---

- License Number:

---

2. Please list the specific products intended for use. All products must be safe for use in rights-of-way and around established trees.

<b>Application Type</b>	<b>Product Name/Brand</b>	<b>Preferred Application Date</b>
-------------------------	---------------------------	-----------------------------------

Pre-Emergent

---

Post-Emergent

---

3. Boom Sprayer Type/Model/Length

---

By signing below, the bidder confirms that application will be performed via a controlled boom sprayer.

4. Pricing

- Bid price per square foot for pre-emergent application  
\$ \_\_\_\_\_

- Bid price per square foot for post-emergent application  
\$ \_\_\_\_\_

5. I hereby certify that I am a licensed and insured applicator in the State of Utah and that all work will be performed in accordance with EPA guidelines.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

